



**EuroMix**

**carlton**



**THE UK'S PREMIUM SUPPLIER OF BAGGED CONCRETES,  
MORTARS, RENDERS & FENCE POST MIXES**

ABOUT CARLTON MANUFACTURING	2
OUR PRODUCTS	4
PRODUCT SELECTION GUIDE	6
ABOUT CPI EUROMIX	10
MORTAR RANGE	10
RENDER RANGE	12
COLOUR SHADE GUIDE	13
CONTACTS	14

# ABOUT CARLTON MANUFACTURING

We are the UK's premium supplier of bagged ready-to-use concretes, mortars & fence post mixes. Our comprehensive range of products are suitable for applications from fencing to

footpaths and much, much more. Our state-of-the-art bagging operation is located close to Sheffield and the M1 - from where we can service all four corners of the UK.



Committed to producing sustainable and environmentally friendly products



Dedicated to research and development to enhance our product range



State-of-the-art equipment delivers products to the highest standard

PACKAGING CONTAINS MINIMUM **50%** RECYCLED CONTENT

"I am very happy with the service and the product. I love the fact that I can email direct and receive a swift response."

# OUR PRODUCTS

	Pre Blended	No Mixing Required	Rapid Set	High Strength
<b>GP-ECOFIX</b> GENERAL PURPOSE CONCRETE	✓	✗	✗	✗
<b>HP-ECOFIX</b> HIGH PERFORMANCE CONCRETE	✓	✗	✗	✓
<b>IC-ECOFIX</b> INSTANT CONCRETE	✓	✓	✗	✗
<b>FP-ECOFIX</b> RAPID SET FENCE POST CONCRETE	✓	✓	✓	✗
<b>40N-ECOFIX</b> HIGH STRENGTH FENCE POST CONCRETE	✓	✓	✗	✓
<b>MM-ECOFIX*</b> MORTAR MIX	A quick, easy and ready-to-use out of the bag, pre-blended sand & cement designation III Mortar Mix which can be used for laying bricks & blocks and pointing above ground.			
<b>M12-ECOFIX**</b> MORTAR MIX	A quick, easy and ready-to-use out of the bag, pre-blended sand & cement designation I Mortar Mix which can be used for laying bricks & blocks and pointing below ground.			

\*In moderate exposure conditions. \*\*In severe exposure conditions.



**FP-ECOFIX**  
RAPID SET FENCE POST CONCRETE

**FP-ECOFIX** is a rapid set fence post concrete that sets in 5 to 10 minutes

<b>USES</b>	<b>BENEFITS</b>
<ul style="list-style-type: none"> <li>All types of posts including:                             <ul style="list-style-type: none"> <li>• Wood</li> <li>• Metal</li> <li>• Concrete</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>• Plastic bags that are showerproof and recyclable</li> <li>• Rapid setting product</li> <li>• Easy to mix and use</li> <li>• No mixing required, just add water</li> <li>• Packaging contains minimum 50% recycled content</li> </ul>



**40N-ECOFIX**  
HIGH STRENGTH FENCE POST CONCRETE

**40N-ECOFIX** is a high strength fence post concrete that can be used without mixing

<b>USES</b>	<b>BENEFITS</b>
<ul style="list-style-type: none"> <li>All types of posts including:                             <ul style="list-style-type: none"> <li>• Wood</li> <li>• Metal</li> <li>• Concrete</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>• Strength &gt;40N after 28 days</li> <li>• Plastic bags that are showerproof and recyclable</li> <li>• Can be mixed traditionally or used without mixing</li> <li>• Ready to use</li> <li>• Packaging contains minimum 50% recycled content</li> </ul>

A comprehensive range of bagged ready-to-use concretes, mortars & fence post mixes for applications from fencing to footpaths and much, much more.



**GP-ECOFIX**  
GENERAL PURPOSE CONCRETE

**GP-ECOFIX** is a general purpose 25N concrete

<b>USES</b>	<b>BENEFITS</b>
<ul style="list-style-type: none"> <li>• Steps</li> <li>• Paths</li> <li>• Concrete bases (greenhouses and sheds)</li> <li>• General repair or maintenance projects</li> <li>• Internal or external application</li> </ul>	<ul style="list-style-type: none"> <li>• Strength &gt;25N after 28 days</li> <li>• Ready to use</li> <li>• Plastic bags that are showerproof and recyclable</li> <li>• Packaging contains minimum 50% recycled content</li> </ul>



**HP-ECOFIX**  
HIGH PERFORMANCE CONCRETE

**HP-ECOFIX** is a high performance 40N concrete

<b>USES</b>	<b>BENEFITS</b>
<ul style="list-style-type: none"> <li>• Steps</li> <li>• Paths</li> <li>• Concrete bases (greenhouses and sheds)</li> <li>• General repair or maintenance projects</li> <li>• Internal or external application</li> <li>• Structural concrete</li> </ul>	<ul style="list-style-type: none"> <li>• Strength &gt;40N after 28 days</li> <li>• Ready to use</li> <li>• Plastic bags that are showerproof and recyclable</li> <li>• Packaging contains minimum 50% recycled content</li> </ul>



**IC-ECOFIX**  
INSTANT CONCRETE

**IC-ECOFIX** is a ready to use 15N concrete

<b>USES</b>	<b>BENEFITS</b>
<ul style="list-style-type: none"> <li>• Steps</li> <li>• Paths</li> <li>• Concrete bases (greenhouses and sheds)</li> <li>• Internal or external application</li> </ul>	<ul style="list-style-type: none"> <li>• Can be traditionally mixed with concrete mixer</li> <li>• Can be used without mixing up to 50mm in depth</li> <li>• Plastic bags that are showerproof and recyclable</li> <li>• Packaging contains minimum 50% recycled content</li> </ul>



**MM-ECOFIX**  
MORTAR MIX

**MM-ECOFIX** is a sand/cement mortar mix that is ready to use

<b>USES*</b>	<b>BENEFITS</b>
<ul style="list-style-type: none"> <li>• Bricklaying</li> <li>• Blocklaying</li> <li>• Pointing</li> <li>• Repair or maintenance projects</li> <li>• Internal or external application</li> </ul>	<ul style="list-style-type: none"> <li>• General purpose mortar</li> <li>• Complies with BS EN 998</li> <li>• Designation III Strength Category (M4)</li> <li>• Plastic bags that are showerproof and recyclable</li> <li>• Easy to mix and use</li> <li>• Packaging contains minimum 50% recycled content</li> </ul>



**M12-ECOFIX**  
MORTAR MIX

**M12-ECOFIX** is a sand/cement mortar mix that is ready to use

<b>USES**</b>	<b>BENEFITS</b>
<ul style="list-style-type: none"> <li>• Bricklaying</li> <li>• Blocklaying</li> <li>• Pointing</li> <li>• Repair or maintenance projects</li> <li>• Internal or external application</li> </ul>	<ul style="list-style-type: none"> <li>• General purpose mortar</li> <li>• Complies with BS EN 998</li> <li>• Designation I Strength Category (M12)</li> <li>• Plastic bags that are showerproof and recyclable</li> <li>• Easy to mix and use</li> <li>• Packaging contains minimum 50% recycled content</li> </ul>

\*In moderate exposure conditions.

\*\*In severe exposure conditions.

# PRODUCT GUIDANCE TABLE

	PRODUCT TYPE		
	CONCRETE	POST MIX	MORTAR
<b>GARDEN FENCING</b> 			
<b>STRUCTURAL POST FIXING</b> 			
<b>GENERAL CONCRETE WORK</b> 			
<b>STRUCTURAL CONCRETE</b> 			
<b>SMALL GARDEN BUILDINGS</b> 			
<b>ABOVE GROUND BRICK &amp; BLOCKWORK &amp; POINTING*</b> 			
<b>BELOW GROUND BRICK &amp; BLOCKWORK &amp; POINTING**</b> 			

## CONCRETE

Do you require a specific strength?

NO

Is your project for a garden, greenhouse or shed base?

NO

Seek advice from Rep

YES



YES

25N



40N



## MORTAR

Is your brick/blockwork above ground?

NO

Seek advice from Rep

YES

Is your brick/blockwork a retaining wall?

NO

Is your brick/blockwork in a severe exposure area such as coastal location or elevated position?

NO



YES

Seek advice from Rep

YES

Seek advice from Rep

## FENCING/ STRUCTURAL POSTS

Do you require a specific strength?

NO



YES



"I have been trading with Carlton Manufacturing for years. I love the service provided and the courtesy emails for when I am unavailable."



"I can just call the office and place the order which is then ready for me to go and collect from the plant. Very happy with the product and service."



"I am very happy with the service, they are very helpful whenever I call to make an order."





# EuroMix

## PRODUCT GUIDE

### Render Range and Mortar Range

#### INTRODUCTION

CPI EuroMix offers a range of bagged products available in easy to handle 25kg bags, that are ideal for a range of building, DIY and home improvement applications. The range offers all of the product benefits & quality of our factory produced EuroMix silo system with the convenience of premixed bags. Each product consists of a factory blended mix for excellent results every time and is ready to use with the simple addition of water.

All bagged products are manufactured under a registered ISO 9001 quality system.

Technical support for all products is available via the CPI EuroMix helpline: **0808 1000 321** and orders can be placed by email at: [bagorders@cpieuromix.com](mailto:bagorders@cpieuromix.com)



## Coloured Mortar



AVAILABLE IN:

25Kg

#### CPI EuroMix Coloured Mortar

is a premixed blend of dried sands, cement & additives in a mix designed specifically for bricklaying mortar requirements where a coloured finish is required. The product when mixed with water will give excellent workability and harden to a durable finish. This product complies with BS EN 998-2 and is manufactured under a registered ISO 9001 quality system.

#### Use for:

Brick and blocklaying where a coloured finish to match or complement the unit being used, or to match an existing mortar.

#### Coverage:

One bag will yield approximately 0.017m<sup>3</sup> of mortar.

#### Available in:

25kg bag

## Bricklaying Mortar



AVAILABLE IN:

25Kg

#### CPI EuroMix Bricklaying Mortar

is a premixed blend of dried sands, cement & additives in a mix designed specifically for bricklaying mortar requirements. The product when mixed with water will give excellent workability and harden to a durable finish. This product complies with BS EN 998-2 and is manufactured under a registered ISO 9001 quality system.

#### Use for:

All general brick and blocklaying.

#### Coverage:

One bag will yield approximately 0.017m<sup>3</sup> of mortar.

#### Available in:

25kg bag

## Ridge Tile Mortar



AVAILABLE IN:

25Kg

#### CPI EuroMix Ridge Tile Mortar

is a premixed blend of dried sands, cement, additives & pigments in a mix designed specifically for all roofing mortar requirements. The product when mixed with water will give excellent workability and harden to a durable finish, reaching 12N strength. This product complies with BS EN 998-2 and is manufactured under a registered ISO 9001 quality system.

#### Use for:

All requirements for roof & ridge tiles.

#### Coverage:

One bag will yield approximately 0.013m<sup>3</sup>

#### Available in:

25kg bag

# General Purpose Render

# High Bond Render



AVAILABLE IN:  
**25kg**



AVAILABLE IN:  
**25kg**

## CPI EuroMix General Purpose Render

contains dried sands, cement and other additives. It can be used as backing coat and finishing coat in external rendering and internal plastering. This product complies with BS EN 998-1 and is manufactured under a registered ISO 9001 quality system.

### Use for:

Backing coat and finishing coat in external rendering and internal plastering

**Available in:**  
25kg bag

## CPI EuroMix High Bond Render

contains dried sand, cement and additives. It is suitable for use to external rendering and internal plastering. This product complies with BS EN 998-1 and is manufactured under a registered ISO 9001 quality system.

### Use for:

Prior to external rendering and internal plastering

**Available in:**  
25kg bag

# COLOURED MORTARS

## COLOUR SHADE GUIDE

The colours below represent our standard range, with reference numbers shown for convenience. Each colour is available in light, **medium** and dark shades.

If the colour you require is not shown, simply contact our technical department to arrange a trial mix to meet your colour specification.



**RED**  
E010/**E011**/E012



**CHARCOAL**  
E020/**E021**/E022



**CHOCOLATE - BROWN**  
E030/**E031**/E032




**TERRACOTTA**  
E040/**E041**/E042



**COPPER - BROWN**  
E050/**E051**/E052



**MARIGOLD**  
E060/**E061**/E062



**YELLOW**  
E070/**E071**/E072



**HEATHER**  
E080/**E081**/E082



**KHAKI**  
E090/**E091**/E092



**STRAW - BROWN**  
E100/**E101**/E102



**MAHOGANY**  
E110/**E111**/E112



**LILAC**  
E120/**E121**/E122



**PURPLE**  
E130/**E131**/E132



**RED - BROWN**  
E140/**E141**/E142



**GOLDON - BROWN**  
E150/**E151**/E152



**MAROON - BROWN**  
E160/**E161**/E162



**BLACK - BROWN**  
E170/**E171**/E172



**BUFF**  
E180/**E181**/E182

- All pigments used in EuroMix Coloured Mortars conform to BS EN 12878.
- The colours illustrated are approximate shades and are intended as a guide only.
- As the appearance of the finished brickwork will depend on joint profile, brick type and local conditions, we will be pleased to supply a free sample of the specified mortar for use in a trial panel on site before final colour approval.

# CONTACTS



**NORTH OF ENGLAND & SCOTLAND**

sales@carltonmanufacturing.co.uk  
07544 899588

**CENTRAL ENGLAND & WALES**

sales@carltonmanufacturing.co.uk  
07824 479720

**SOUTH WEST OF ENGLAND**

sales@carltonmanufacturing.co.uk  
07824 479720

**SOUTH EAST OF ENGLAND**

sales@carltonmanufacturing.co.uk  
07824 479720


We service all four corners of the UK and have a comprehensive range of bagged ready-to-use concretes, mortars, renders & fence post mixes for applications from fencing to footpaths and much, much more!

To find out how we can help you with your next project, visit our websites:

[www.carltonmanufacturing.co.uk](http://www.carltonmanufacturing.co.uk)

[www.cpieuromix.com](http://www.cpieuromix.com)

or call us today: **0808 1000 321**



[www.carltonmanufacturing.co.uk](http://www.carltonmanufacturing.co.uk)

[www.cpieuromix.com](http://www.cpieuromix.com)

0808 1000 321

[sales@carltonmanufacturing.co.uk](mailto:sales@carltonmanufacturing.co.uk)

[bagorders@cpieuromix.com](mailto:bagorders@cpieuromix.com)



**MADE IN  
BRITAIN** 



PACKAGING  
CONTAINS  
MINIMUM  
**50%**  
RECYCLED  
CONTENT